Refine Search

Search Results -

Terms	Documents
707.clas.	22527

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database

US OCR Full-Text Database

Database:

EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

\triangle
·
\triangle

Refine Search





interrupt

Search History

DATE: Friday, September 24, 2004 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB=P	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L11</u>	707.clas.	22527	<u>L11</u>
<u>L10</u>	707/103r	1518	<u>L10</u>
<u>L9</u>	705.clas.	29136	<u>L9</u>
<u>L8</u>	705/39	1646	<u>L8</u>
<u>L7</u>	L4 and (multilevel or multi-level or multitier or multi-tier)	5	<u>L7</u>
<u>L6</u>	L4 and (multilevel or multi-level or multitier or multi-tier) near (organization or company)	0	<u>L6</u>
<u>L5</u>	L4 and (multilevel or multi-level) near (organization or company)	0	<u>L5</u>
<u>L4</u>	financial near2 services near (organization or company)	241	<u>L4</u>
<u>L3</u>	(multilevel or multi-level) near2 business near (organization or company)	8	<u>L3</u>
<u>L2</u>	L1 and dislay\$	1	<u>L2</u>
<u>L1</u>	process\$ near relationship near objects	32	<u>L1</u>



First Hit Fwd Refs End of Result Set

Previous Doc Next Doc Go to Doc#

☐ Cenerate Collection Print

L2: Entry 1 of 1

File: USPT

Feb 24, 1998

US-PAT-NO: 5721959

DOCUMENT-IDENTIFIER: US 5721959 A

** See image for Certificate of Correction **

TITLE: Information processing apparatus for pattern editing using logic

relationship representative patterns

DATE-ISSUED: February 24, 1998

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Nakamura; Takashi	Hiratsuka			JP
Kadosawa; Tsuneaki	Kanagawa-ken			JP
Ozawa; Kunitaka	Isehara			JP
Kawai; Tomoaki	Yokohama			JP
Koga; Eiji	Hadano			JP
Ogiwara; Satoshi	Sagamihara			JP

ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
Canon Kabushiki Kaisha	Tokyo			JP	03

APPL-NO: 08/ 347173 [PALM]
DATE FILED: November 22, 1994

PARENT-CASE:

This application is a continuation of application Ser. No. 08/003,935 filed Jan. 21, 1993, now abandoned, which is a continuation of application Ser. No. 07/373,105 filed Jun. 29, 1989, abandoned.

FOREIGN-APPL-PRIORITY-DATA:

COUNTRY	APPL-NO	APPL-DATE
JP	63-165657	July 1, 1988
JP	63-168180	July 5, 1988
JP	63-252994	October 6, 1988
JP	63-254246	October 7, 1988
JP	63-284212	November 10, 1988
JP	63-287944	November 15, 1988
JP	63-290472	November 17, 1988

INT-CL: [06] $\underline{G06}$ \underline{F} $\underline{17/50}$

US-CL-ISSUED: 395/919; 345/115, 345/146, 364/488, 364/468.09, 395/133, 395/354,

Record Display Form Page 2 of 3

395/967

US-CL-CURRENT: 716/11; 345/723, 345/967, 700/103, 706/919

Search Selected

FIELD-OF-SEARCH: 364/488, 364/491, 364/468.09, 395/155, 395/135, 395/133, 395/352,

395/354, 395/919, 395/967, 345/115, 345/146

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search ALL

Clear

395/335

395/133

395/348

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
3930237	December 1975	Villers	364/200
4546434	October 1985	Gioello	364/400
4613940	September 1986	Shenton et al.	364/490
4638442	January 1987	Bryant et al.	364/489
4656603	April 1987	Dunn	364/900
4686522	August 1987	Hernandez et al.	345/160
4710767	December 1987	Sciacero et al.	345/191
4745561	May 1988	Hirosawa et al.	395/171
4757470	July 1988	Bruce et al.	395/135
4806919	February 1989	Nakayama et al.	345/120
4808987	February 1989	Talceda et al.	345/115
4829446	May 1989	Draney	364/488
4847604	July 1989	Doyle	345/180
4873643	October 1989	Powell et al.	364/468.09
4885694	December 1989	Pray et al.	364/464.1
4903214	February 1990	Hiwatashi	364/491
4974175	November 1990	Suzuki et al.	364/522

ART-UNIT: 235

5025395

<u>5068802</u>

5070534

PRIMARY-EXAMINER: Kim; Kenneth S.

June 1991

November 1991

December 1991

ATTY-AGENT-FIRM: Fitzpatrick, Cella, Harper & Scinto

ABSTRACT:

Nose et al.

Miyashita et al.

Lascelles et al.



A pattern editing apparatus includes a selector for selecting a plurality of patterns to be object patterns for an editing process. The plurality of patterns are displayed in a first area on a screen. The pattern selected by the selector is displayed in a second area on the screen. The apparatus also includes a provider, responsive to the selector, for providing a pattern for coupling the selected patterns displayed in the second area. The pattern coupling represents a flow chart processing relationship among the selected patterns. Also provided is a generator for generating a signal responsive to the absence of any pattern representing a flow chart processing relationship in the selected patterns, and an adder for adding the pattern representing the flow chart processing relationship as an object pattern of the editing process.

16 Claims, 49 Drawing figures

Previous Doc Next Doc Go to Doc#

END OF SEARCH HISTORY

First Hit Fwd Refs

Previous Doc

Next Doc

Go to Doc#

Cenerate Collection

Print

L14: Entry 38 of 59

File: USPT

Jan 22, 2002

US-PAT-NO: 6341288

DOCUMENT-IDENTIFIER: US 6341288 B1

TITLE: Database system with methodology for accessing a database from portable

devices

DATE-ISSUED: January 22, 2002

INVENTOR-INFORMATION:

ZIP CODE COUNTRY CITY STATE NAME

CA Waterloo Yach; David P. CA Graham; James D. Waterloo CA Waterloo

Scian; Anthony F.

ASSIGNEE-INFORMATION:

STATE ZIP CODE COUNTRY TYPE CODE NAME CITY

02 Emeryville CA Sybase, Inc.

APPL-NO: 09/ 124532 [PALM] DATE FILED: July 29, 1998

INT-CL: $[07] \underline{G06} \underline{F} \underline{17/30}$

US-CL-ISSUED: 707/103R; 707/100, 707/101, 707/102 US-CL-CURRENT: <u>707/103R</u>; <u>707/100</u>, <u>707/101</u>, <u>707/102</u>

FIELD-OF-SEARCH: 707/1, 707/2, 707/3-4, 707/10, 707/100-101, 707/102, 707/103,

707/205, 707/104, 717/1, 717/3, 717/5, 713/200

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected Search ALL Clear

	000000000		
PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
4799254	January 1989	Dayton et al.	379/93.26
5291399	March 1994	Chaco	705/3
5664228	September 1997	Mital	710/62
5668987	September 1997	Schneider	707/3
5671404	September 1997	Lizee et al.	707/5
5694601	December 1997	White	709/101

5819066	October 1998	Bromberg et al.	707/102
5822750	October 1998	Jou et al.	707/2
<u>5826077</u>	October 1998	Blakeley et al.	707/4
5950190	September 1999	Yeager et al.	707/3

OTHER PUBLICATIONS

Parallelizing loops in <u>database</u> programming languages by Daniel F. Lieuwen, Bell Lab, Lucent Technology, (IEEE paper) p. 86-93 (1998).

ART-UNIT: 2171

PRIMARY-EXAMINER: Mizrahi; Diane D.

ATTY-AGENT-FIRM: Smart; John A.

ABSTRACT:

An "UltraLite" database development environment capable of creating a database application that is more portable across multiple devices, including ones having limited computational power, is described. The applications themselves can incorporate SQL statements and SQL cursors for use against data sources, including UltraLite databases. The UltraLite development environment generates code to process the SQL in the application. The application code and generated code are compiled and then linked with the UltraLite runtime library. The result is an UltraLite program that includes application logic and database logic together in a single program. The environment includes, at its core, an "Analyzer" which receives SQL from the pre-compiler and submits the SQL to an available database server (e.g., Sybase Adaptive Server Anywhere) for parsing and optimization. The Analyzer uses the <u>database</u> server's (i.e., the <u>database</u> server of Adaptive Server Anywhere) access plans and schema information to generate C code to execute the SQL statements. By making the footprint for an UltraLite program as small as possible, the system provides a database system with low overhead, making it easier to create an application targeting device having limited computational power.

25 Claims, 11 Drawing figures

Previous Doc Next Doc Go to Doc#

First Hit Fwd Refs

Previous Doc

Next Doc

Go to Doc#

Print

Cenerate Collection

L25: Entry 200 of 212

File: USPT

Sep 19, 1995

US-PAT-NO: 5452450

DOCUMENT-IDENTIFIER: US 5452450 A

TITLE: System of global update for time/language heterogeneous databases using a relational reference database and both request and database identifier files

DATE-ISSUED: September 19, 1995

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE COUNTRY

Delory; Jean-Michel

Levis St. Nom

FR

ASSIGNEE-INFORMATION:

NAME

CITY

STATE ZIP CODE COUNTRY

TYPE CODE

Alcatel Cit

Paris

FR

03

APPL-NO: 08/ 170979 [PALM] DATE FILED: December 21, 1993

PARENT-CASE:

This is a continuation of application Ser. No. 07/705,409 filed May 24, 1991, now abandoned.

FOREIGN-APPL-PRIORITY-DATA:

COUNTRY

APPL-NO

APPL-DATE

FR

90 06651

May 29, 1990

INT-CL: [06] G06 F 17/30

US-CL-ISSUED: 395/600; 364/DIG.1, 364/282.1, 364/282.4, 364/283.4, 364/285

US-CL-CURRENT: 707/10; 707/201

FIELD-OF-SEARCH: 395/600, 395/650, 364/419.01

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected Search ALL

PAT-NO ISSUE-DATE PATENTEE-NAME

US-CL

4186438 January 1980

Bensen et al.

364/200

4466098 August 1984

Southard

371/9.1

<u>4714995</u>	December 1987	Materna et al.	395/600
<u>4745559</u>	May 1988	Willis et al.	364/514
<u>4769772</u>	September 1988	Dwyer	395/600
<u>4835685</u>	May 1989	Kun	364/200
<u>4887204</u>	December 1989	Johnson et al.	364/200
4914570	April 1990	Peacock	364/200
<u>4918593</u>	April 1990	Huber	364/200
<u>4925311</u>	May 1990	Neches et al.	364/200
5058000	October 1991	Cox et al.	395/600
<u>5257366</u>	October 1993	Adair et al.	395/600
5278978	January 1994	Demers et al.	395/600
5307265	April 1994	Winans	364/419.01

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO PUBN-DATE COUNTRY US-CL 2201270 August 1988 GB

OTHER PUBLICATIONS

Hewlett-Packard Journal, vol. 37, No. 12, Dec. 1986, pp. 33-48, Palo Alto, Calif. USA; A. S. Brown et al.: "Data base management for HP precision architecture computers".

ART-UNIT: 237

PRIMARY-EXAMINER: Black; Thomas G.

ASSISTANT-EXAMINER: Amsbury; Wayne

ATTY-AGENT-FIRM: Sughrue, Mion, Zinn, Macpeak & Seas

ABSTRACT:

A database network management method ensures consistency of modifications to data in a network of databases comprising a relational database which constitutes a reference database and at least one further database accessible in real time. The data of the relational database is duplicated at least in part in the further databases accessible in real time. To enable an application process to modify data in all of the database network, the method is as follows: (1) A data modification request in the SQL language is sent from the application process to a pool of server processes of a relational database management system, (2) a server process is assigned to the request for the duration of its processing, (3) the modification request in the dynamic SQL language is sent from the server process pool to a relational database management system and the request is executed, (4) the further databases in accessible in real time to which the modification request relates are determined, (5) the request is transferred to the further databases in a form compatible with a management system of each further database concerned, and (6) the modification request is executed in each further database concerned.

3 Claims, 4 Drawing figures

Previous Doc

Next Doc

Go to Doc#



First Hit Fwd Refs

Previous Doc

Next Doc G

Go to Doc#

End of Result Set

Generate Collection

Print

L28: Entry 4 of 4 File: USPT Sep 24, 2002

US-PAT-NO: 6457007

DOCUMENT-IDENTIFIER: US 6457007 B1

TITLE: Distributed database management system including logical database

constituted by a group of physical databases

DATE-ISSUED: September 24, 2002

INVENTOR-INFORMATION:

CITY STATE ZIP CODE COUNTRY NAME Kikuchi; Satoshi Yokohama JP Ito; Hiromichi Yokohama JΡ Nakane; Keiichi Yokohama JΡ Hashimoto; Hisashi Yokohama JP Ebina Nishiyama; Eisaku JP

ASSIGNEE-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY TYPE CODE

Hitachi, Ltd. Tokyo JP 03

APPL-NO: 08/ 285534 [PALM]
DATE FILED: August 5, 1994

FOREIGN-APPL-PRIORITY-DATA:

COUNTRY APPL-NO APPL-DATE

JP 5-194470 August 5, 1993 JP 6-118517 May 31, 1994

INT-CL: [07] $\underline{G06}$ \underline{F} $\underline{17/30}$

US-CL-ISSUED: 707/10; 707/100 US-CL-CURRENT: 707/10; 707/100

FIELD-OF-SEARCH: 395/600, 364/DIG.1, 364/DIG.2, 707/10, 707/100, 707/102, 707/13R-

13Z

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected

Search ALL

Clear

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
4853843	August 1989	Ecklund	395/600
5181238	January 1993	Medamana et al.	379/95
5247575	September 1993	Sprague et al.	380/9
5333317	July 1994	Dann	395/600
<u>5412806</u>	May 1995	Du et al.	395/600
5426747	June 1995	Weinreb et al.	395/400
<u>5457797</u>	October 1995	Butterworth et al.	395/650

OTHER PUBLICATIONS

W. Litwin et al., "Interoperability of Multiple Autonomous Databases", ACM Computing Surveys, vol. 22, No. 3, Sep. 1990, pp. 267-293.

W. Litwin et al., "Interoperability of Multiple Autonomous Databases", computer science--acm computing surveys '90, special issue of bit, Jul. 1992, pp. 115-139, published by Kyoritsu Shuppan Co., Ltd., Tokyo, Japan (in Japanese).

ART-UNIT: 2125

PRIMARY-EXAMINER: Von Buhr; Maria N.

ATTY-AGENT-FIRM: Antonelli, Terry, Stout, & Kraus, LLP

ABSTRACT:

A distributed database management system includes a communication network, at least a terminal device including an application program execution unit connected to the communication network, a plurality of information processors connected to the communication network, a plurality of physical databases installed in at least one of the information processors, at least a logical database grouping a plurality of the, physical databases, the logical database being defined by logical database information stored in at least one of the terminal device and the plurality of information processors, at least a table stored in at least one of the physical databases, and a table location searching unit installed in at least one of the terminal device and the plurality of information processors, for searching a table stored in at least one of the physical databases based on the logical database information, the table being requested to access on a logical database, from the application program execution unit.

42 Claims, 47 Drawing figures

Previous Doc Next Doc Go to Doc#